



2013 Soybean Inoculant Pesticide Compatibility, Planting Window & Tank Mix Recommendations

ABI Plus 30 Extender PLUS America's Best Soybean Inoculant PLUS pesticide: <i>Maximum Planting Window Allowed After Inoculant Application</i>						
Liquid Soybean Inoculant Formulations With ABI PLUS 30 EXTENDER	Pesticide(s)	In Tank Slurry ¹	Maximum Planting Window (Weeks)			
			1 week	2 weeks	3 weeks	4 weeks
ABI™ Sterile Liquid 10L Soybean ABI™ Sterile Liquid 3.1L Soybean ABI™ MegaPack™ Low Volume Liquid	(No Pesticide)	24 hours				4 weeks
	<ul style="list-style-type: none"> • Apron-Maxx® RFC • Apron-Maxx® RTA • Innovate® System • Rancona® 3.8FS • Warden® RTA 	4 hours				4 weeks
	<ul style="list-style-type: none"> • Acceleron® • Apron-Maxx® Bean Pak™ • Cruiser-Maxx® • Cruiser-Maxx® Advanced • Poncho/Votivo® • Trilex® 6000 	4 hours			3 weeks	
	<ul style="list-style-type: none"> • Any Treatment containing Molybdenum 	Do not Tank MIX	1 Day			

America's Best Inoculant PLUS pesticide: <i>Maximum Planting Window Allowed After Inoculant Application</i>								
Liquid Soybean Inoculant formulations WITHOUT Extender	Pesticide(s)	In Tank Slurry ¹	Maximum Planting Window (Days)					
			1 day	2 days	3 days	4 days	5 days	6 days
ABI™ Sterile Liquid 10L Soybean ABI™ Sterile Liquid 3.1L Soybean ABI™ MegaPack™ Low Volume Liquid	(No Pesticide)	24 hours						7 days
	<ul style="list-style-type: none"> • Apron-Maxx® RFC • Apron-Maxx® RTA • Cruiser-Maxx® • Cruiser-Maxx® Advanced • Poncho/Votivo® • Innovate® System • Rancona® 3.8FS • Warden® RTA 	4 hours					5 days	
	<ul style="list-style-type: none"> • Acceleron® • Apron-Maxx® Bean Pak™ • Trilex® 6000 	4 hours			3 days			
	<ul style="list-style-type: none"> • Any Treatment containing Molybdenum 	Do not Tank MIX	1 day					

America's Best Inoculant PLUS pesticide: <i>Maximum Planting Window Allowed After Inoculant Application</i>		
Dry Soybean inoculant formulations:	Inoculant only	Inoculant plus one of: Acceleron®, Apron-Maxx® RFC, Apron-Maxx® RTA, Cruiser-Maxx® Pak, Cruiser-Maxx® Advanced, Poncho/Votivo®, Innovate® System, Rancona® 3.8FS, Warden® RTA
ABI Non-sterile Peat Soybean	Plant within 24 hours of application	Plant within 4 hours of application
ABI Sterile Peat Soybean	Plant within 24 hours of application	Plant within 1 day of application

Precautions: Store treated seed in cool place, out of direct sunlight. Always use non-chlorinated water for pesticide dilutants when mixing with inoculants. Read and follow all label directions.

¹ "Slurry" refers to co-mixing liquid inoculant together with the seed treatment in the treater tank. If possible avoid co-mixing liquid inoculant together with the pesticide seed treatment, use a separate tank for inoculant. The inoculant plus the named seed treatment should be kept together in the tank no longer than four hours before application to the seed.

America's Best Inoculant is a registered trademark of Advanced Biological Marketing.
 ApronMaxx RTA, ApronMaxx RFC, Bean Pak Cruiser-Maxx are trademarks or registered trademarks Syngenta Group Company.
 Warden is a trademark of Agrilience LLC. Trilex and Gaucho are registered trademarks of Bayer Crop Science.